

ATTACHMENT B

AZ 271 Working PID Version 7.0



Service Performance Indicator Definitions (PID)

AZ 271 Working PID Version 7.0

November 16, 2001

QWEST'S SERVICE PERFORMANCE INDICATOR DEFINITIONS (PID)

AZ 271 Working PID Version 7.0

Introduction

Qwest will report performance results for the service performance indicators defined herein. Qwest will report separate performance results associated with the services it provides to Competitive Local Exchange Carriers (CLECs) in aggregate (except as noted herein), to CLECs individually and, as applicable, to Qwest's retail customers in aggregate. Within these categories, performance results related to service provisioning and repair will be reported for the products listed in each definition. Reports for CLECs individually will be subject to agreements of confidentiality and/or nondisclosure.

Qwest's Service Performance Indicator Definitions

Table of Contents

QWEST'S SERVICE PERFORMANCE INDICATOR DEFINITIONS	III
ELECTRONIC GATEWAY AVAILABILITY	1
GA-1 – Gateway Availability – IMA-GUI	1
GA-2 – Gateway Availability – IMA-EDI	2
GA-3 – Gateway Availability – EB-TA	3
GA-4 – System Availability – EXACT	4
GA-6 – Gateway Availability – GUI - Repair	5
GA-7 Timely Outage Resolution following Software Releases	6
PRE-ORDER/ORDER	7
PO-1 – Pre-Order/Order Response Times	7
PO-2 – Electronic Flow-through	10
PO-3 – LSR Rejection Notice Interval	11
PO-4 – LSRs Rejected	13
PO-5 – Firm Order Confirmations (FOCs) On Time	14
PO-6 – Work Completion Notification Timeliness	18
PO-7 – Billing Completion Notification Timeliness	20
PO-8 – Jeopardy Notice Interval	22
PO-9 – Timely Jeopardy Notices	23
PO-10 – LSR Accountability	24
PO-16 Timely Release Notifications	25
PO-19 – Stand-Alone Test Environment (SATE) Accuracy	27
ORDERING AND PROVISIONING	28
OP-2 – Calls Answered within Twenty Seconds – Interconnect Provisioning Center	28
OP-3 – Installation Commitments Met	29
OP-4 – Installation Interval	32
OP-5 – New Service Installation Quality	35
OP-6 – Delayed Days	37
OP-7 – Coordinated “Hot Cut” Interval – Unbundled Loop	41
OP-8 – Number Portability Timeliness	42
OP-13 – Coordinated Cuts On Time – Unbundled Loop	43
OP-17 Timeliness of Disconnects associated with LNP Orders	45
MAINTENANCE AND REPAIR	46
MR-2 – Calls Answered within 20 Seconds – Interconnect Repair Center	46
MR-3 – Out of Service Cleared within 24 Hours	47
MR-4 – All Troubles Cleared within 48 hours	49
MR-5 – All Troubles Cleared within 4 hours	51
MR-6 – Mean Time to Restore	53
MR-7 – Repair Repeat Report Rate	55
MR-8 – Trouble Rate	57
MR-9 – Repair Appointments Met	59
MR-10 – Customer and Non-Qwest Related Trouble Reports	60
MR-11 – LNP Trouble Reports Cleared within 24 Hours	62
MR-12 – LNP Trouble Reports – Mean Time to Restore	63
BILLING	64
BI-1 – Time to Provide Recorded Usage Records	64

BI-2 – Invoices Delivered within 10 Days.....	65
BI-3 – Billing Accuracy – Adjustments for Errors	66
BI-4 – Billing Completeness.....	67
DATABASE UPDATES.....	68
DB-1 – Time to Update Databases	68
DB-2 – Accurate Database Updates	70
DIRECTORY ASSISTANCE.....	71
DA-1 – Speed of Answer – Directory Assistance.....	71
OPERATOR SERVICES	72
OS-1 – Speed of Answer – Operator Services	72
NETWORK PERFORMANCE	73
NI-1 – Trunk Blocking	73
NP-1 – NXX Code Activation	76
COLLOCATION.....	78
CP-1 – Collocation Completion Interval	78
CP-2 – Collocations Completed within Scheduled Intervals	81
CP-3 – Collocation Feasibility Study Interval	84
CP-4 – Collocation Feasibility Study Commitments Met.....	85
DEFINITION OF TERMS.....	86
GLOSSARY OF ACRONYMS.....	90

Electronic Gateway Availability

GA-1 – Gateway Availability – IMA-GUI

Purpose:

Evaluates the quality of CLEC access to the IMA-GUI electronic gateway and two associated systems, focusing on the extent they are actually available to CLECs.

Description:

GA-1A: Measures the availability of the IMA (Interconnect Mediated Access-graphical user interface), and reports the percentage of Scheduled Up Time the IMA interface is available for view and/or input.

NOTE 1

- Scheduled Up Time hours for preorder, order, and provisioning transactions are Monday-Friday, 6:00 a.m. to 10:00 p.m., and Saturday 6:00 a.m. to 8:00 p.m. MT.

GA-1B: Measures the availability of the "Fetch-N-Stuff" system, which facilitates access for the IMA-GUI interface and the IMA-EDI interface (see GA-2), and reports the percentage of scheduled time the Fetch-N-Stuff system is available. Scheduled times will be no less than the same hours as listed for IMA and EDI.

GA-1C: Measures the availability of the Data Arbiter system, which facilitates access for the IMA-GUI interface and the IMA-EDI interface (see GA-2), and reports the percentage of scheduled time the Data Arbiter system is available. Scheduled times will be no less than the same hours as listed for IMA and EDI.

- Time Gateway is Available to CLECs is equal to Scheduled Availability Time minus Outage Time.
- Scheduled Availability Time is equal to Scheduled Up Time minus Scheduled Down Time.
- Scheduled Down Time is time identified and communicated that the interface is not available due to maintenance and/or upgrade work. Notification of Scheduled Down Time for routine maintenance and/or upgrade work will be provided no less than 48 hours in advance.
- An outage is a critical or serious loss of functionality, attributable to the specified gateway or component (i.e., IMA-GUI, Fetch-N-Stuff, or Data Arbiter), affecting Qwest's ability to serve its customers. An outage is determined by Qwest technicians through the use of verifiable data, collected from the affected customer(s) and/or from mechanized event management systems.

Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC aggregate results	Disaggregation Reporting: Region-wide level. Results will be reported as follows: GA-1A IMA Graphical User Interface Gateway GA-1B "Fetch-N-Stuff" system GA-1C Data Arbiter system
Formula: $([\text{Number of Hours and Minutes Gateway is Available to CLECs During Reporting Period}] / [\text{Number of Hours and Minutes of Scheduled Availability Time During Reporting Period}]) \times 100$	
Exclusions: None	
Product Reporting: None	Standard: 99.25 percent
Availability: Available	Notes:

GA-2 – Gateway Availability – IMA-EDI

Purpose: Evaluates the quality of CLEC access to the EDI electronic gateway, focusing on the extent the gateway is actually available to CLECs.	
Description: Measures the availability of EDI (Electronic Data Interchange) interface and reports the percentage of scheduled up time the EDI Interface is available for view and/or input. All times during which the interface is scheduled to be operating during the reporting period are measured. <ul style="list-style-type: none"> Scheduled Up Time hours for EDI are Monday-Friday, 6:00 a.m. to 10:00 p.m., and Saturday, 6:00 a.m. to 8:00 p.m. MT. Time Gateway is Available to CLECs is equal to Scheduled Availability Time minus Outage Time. Scheduled Availability Time is equal to Scheduled Up Time minus Scheduled Down Time Scheduled Down Time is time identified and communicated that the interface is not available due to maintenance and/or upgrade work. Notification of Scheduled Down Time for routine maintenance and/or upgrade work will be provided no less than 48 hours in advance. An outage is a critical or serious loss of functionality, attributable to the specified gateway or component (i.e., IMA-EDI), affecting Qwest's ability to serve its customers. An outage is determined by Qwest technicians through the use of verifiable data, collected from the affected customer(s) and/or from mechanized event management systems. 	
Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC aggregate results	Disaggregation Reporting: Region-wide level. (See GA-1 for reporting of "Fetch-n-Stuff" and Data Arbiter systems availability.)
Formula: $([\text{Number of Hours and Minutes Gateway is Available to CLECs During Reporting Period}] / [\text{Number of Hours and Minutes of Scheduled Availability Time During Reporting Period}]) \times 100$	
Exclusions: None	
Product Reporting: None	Standard: 99.25 percent
Availability: Available	Notes:

GA-3 – Gateway Availability – EB-TA

Purpose: Evaluates the quality of CLEC access to the EB-TA interface, focusing on the extent the gateway is actually available to CLECs.	
Description: Measures the availability of EB-TA (Electronic Bonding – Trouble Administration) interface and reports the percentage of scheduled up time the EB-TA Interface is available. <ul style="list-style-type: none"> Scheduled Up Time hours are 24 hours a day, Monday through Friday; midnight to 11 p.m. MT on Saturday; 5 am to midnight MT on Sunday. Time Gateway is Available to CLECs is equal to Scheduled Availability Time minus Outage Time. Scheduled Availability Time is equal to Scheduled Up Time minus Scheduled Down Time. Scheduled Down Time is time identified and communicated that the interface is not available due to maintenance and/or upgrade work. Notification of Scheduled Down Time for routine maintenance and/or upgrade work will be provided no less than 48 hours in advance. An outage is a critical or serious loss of functionality, attributable to the specified gateway or component (i.e., EB-TA), affecting Qwest's ability to serve its customers. An outage is determined by Qwest technicians through the use of verifiable data, collected from the affected customer(s) and/or from mechanized event management systems. 	
Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC aggregate results	Disaggregation Reporting: Region-wide level.
Formula: $\left(\frac{\text{[Number of Hours and Minutes Gateway is Available to CLECs During Reporting Period]}}{\text{[Number of Hours and Minutes of Scheduled Availability During Reporting Period]}} \right) \times 100$	
Exclusions: None	
Product Reporting: None	Standard: 99.25 percent
Availability: <div style="text-align: center;">Available</div>	Notes:

GA-4 – System Availability – EXACT

Purpose: Evaluates the quality of CLEC access to the EXACT electronic access service request system, focusing on the extent the system is actually available to CLECs.	
Description: Measures the availability of EXACT system and reports the percentage of scheduled up time the EXACT system is available. <ul style="list-style-type: none"> Scheduled Up Time hours are 6 a.m. to 9 p.m. MT, Monday through Friday; and 7 a.m. to 4 p.m. MT on Saturday. ^{NOTE 1} Time System is Available to CLECs is equal to Scheduled Availability Time minus Outage Time. Scheduled Availability Time is equal to Scheduled Up Time minus Scheduled Down Time. Scheduled Down Time is time identified and communicated that the system is not available due to maintenance and/or upgrade work. Notification of Scheduled Down Time for routine maintenance and/or upgrade work will be provided no less than 48 hours in advance. An outage is a critical or serious loss of functionality, attributable to the specified gateway or component (i.e., EXACT), affecting Qwest's ability to serve its customers. An outage is determined by Qwest technicians through the use of verifiable data, collected from the affected customer(s) and/or from mechanized event management systems. 	
Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC aggregate results	Disaggregation Reporting: Region-wide level.
Formula: [Number of Hours and Minutes EXACT is Available to CLECs During Reporting Period / Number of Hours and Minutes of Scheduled Availability During Reporting Period] x 100	
Exclusions: None	
Product Reporting: None	Standard: 99.25 percent
Availability: <div style="text-align: center;">Available</div>	Notes: 1. For Jan-Nov 00 results, hours were 6 a.m. to 7 p.m. MT, Monday through Friday. For Dec 00 forward, hours were 6 a.m. to 9 p.m. MT, Monday through Friday.

GA-6 – Gateway Availability – GUI - Repair

Purpose: Evaluates the quality of CLEC access to the GUI Repair electronic gateway, focusing on the extent the gateway is actually available to CLECs.	
Description: Measures the availability of the GUI (Graphical User Interface) repair electronic interface and reports the percentage of scheduled up time the interface is available for view and/or input. All times during which the interface is scheduled to be operating during the reporting period are measured. <ul style="list-style-type: none"> • Scheduled Up Time” hours are 2:15 a.m. to 11:15 p.m. MT, Monday through Friday; 2:15 a.m. to 10:00 p.m. MT on Saturday; and 7:00 a.m. to 11:15 p.m. MT on Sunday. • Time Gateway is Available to CLECs is equal to Scheduled Availability Time minus Outage Time. • Scheduled Availability Time is equal to Scheduled Up Time minus Scheduled Down Time. • Scheduled Down Time is time identified and communicated that the interface is not available due to maintenance and/or upgrade work. Notification of Scheduled Down Time for routine maintenance and/or upgrade work will be provided no less than 48 hours in advance. • An outage is a critical or serious loss of functionality, attributable to the specified gateway or component (i.e., GUI-Repair), affecting Qwest's ability to serve its customers. An outage is determined by Qwest technicians through the use of verifiable data, collected from the affected customer(s) and/or from mechanized event management systems. 	
Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC aggregate results	Disaggregation Reporting: Region-wide level.
Formula: [Number of Hours and Minutes Gateway is Available to CLECs During Reporting Period / Number of Hours and Minutes of Scheduled Availability Time During Reporting Period] x 100	
Exclusions: None	
Product Reporting: None	Standard: 99.25 percent
Availability: <div style="text-align: center;">Available</div>	Notes:

GA-7 Timely Outage Resolution following Software Releases

Purpose: Measures the timeliness of resolution of gateway or system outages attributable to software releases for specified OSS interfaces, focusing on CLEC-affecting software releases involving the specified gateways or systems.	
Description: <ul style="list-style-type: none"> Measures the percentage of gateway or system outages, which are attributable to OSS system software releases and which occur within two weeks after the implementation of the OSS system software releases, that are resolved ^{NOTE 1} within 48 hours of detection by the Qwest monitoring group or reporting by a CLEC/co-provider. Includes software releases associated with the following OSS interfaces in Qwest: IMA-GUI, IMA-EDI, and CEMR ^{NOTE 2}, Exchange Access, Control, & Tracking (EXACT) ^{NOTE 3}, Electronic Bonding - Trouble Administration (EB -TA) ^{NOTE 4} An outage for this measurement is a critical or serious loss of functionality, attributable to the specified gateway or component, affecting Qwest's ability to serve its customers or data loss ^{NOTE 5} on the Qwest side of the interface. An outage is determined by Qwest technicians through the use of verifiable data, collected from the affected customer(s) and/or from mechanized event management systems. The outage resolution time interval considered in this measurement starts at the time Qwest's monitoring group detects a failure, or at the date/time of the first transaction sent to Qwest that cannot be processed (i.e. lost data), and ends with the time functionality is restored or the lost data is recovered. 	
Reporting Period: Monthly	Unit of Measure: Percent
Reporting Comparisons: CLEC Aggregate	Disaggregation Reporting: Region-wide level.
Formula: $\left(\frac{\text{Total outages detected within two weeks of a Software Release that are resolved within 48 hours of the time Qwest detects the outage} + \text{Total number of outages detected within two weeks of Software Releases resolved in the Reporting Period}}{\text{Total number of outages detected within two weeks of Software Releases}} \right) \times 100$	
Exclusions: <ul style="list-style-type: none"> Outages in releases prior to any CLEC migrating to the release. Duplicate reports by the same CLEC attributable to the same software defect. 	
Product Reporting: None	Standard: Volume = 1-20: 1 miss Volume > 20: 95%
Availability: Available	Notes: <ol style="list-style-type: none"> "Resolved" means that service is restored to the reporting CLEC, as experienced by the CLEC. CEMR replaced CTAS in April 01. CTAS has been retired. EXACT is a Telecordia system. Only releases for changes initiated by Qwest for hardware or connectivity will be included in this measurement. Outages reported under EB-TA are the same as outages in MEDIACC. For data loss to be considered for GA-7, a functional acknowledgement must have been provided for the data in question (e.g., EDI 997, LSR ID or trouble ticket number).

Pre-Order/Order

PO-1 – Pre-Order/Order Response Times

Purpose:

Evaluates the timeliness of responses to specific preordering/ordering queries for CLECs through the use of Qwest's Operational Support Systems (OSS). Qwest's OSS are accessed, through the specified gateway interface.

Description:**PO-1A & PO-1B:**

Measures the time interval between query and response for specified pre-order/order transactions through the electronic interface.

- Measurements are made using a system that simulates the transactions of requesting pre-ordering/ordering information from the underlying existing OSS. These simulated transactions are made through the operational production interfaces and existing systems in a manner that reflects, in a statistically-valid manner, the transaction response times experienced by CLEC service representatives in the reporting period.
- The time interval between query and response consists of the period from the time the transaction request was "sent" to the time it is "received" via the gateway interface.
- A query is an individual request for the specified type of information.

PO-1C:

- Measures the percentage of all IRTM Queries measured by PO-1A&B transmitted in the reporting period that timeout before receiving a response.

PO-1D:

- Measures the average response time for specific rejected queries scripted in IRTM, across preorder transaction types. The response time measured is the time between the issuance of a pre-ordering transaction and the receipt of an error message associated with a "rejected query." A rejected query is a transaction that cannot be successfully processed due to the provision of incomplete or invalid information by the sender, which results in an error message back to the sender.

Reporting Period: One month

Unit of Measure:

PO-1A, PO-1B, & PO-1D: Seconds

PO-1C: Percent

PO-1 – Pre-Order/Order Response Times (continued)

<p>Reporting Comparisons: CLEC aggregate.</p>	<p>Disaggregation Reporting: Region-wide level. Results are reported as follows: PO-1A Pre-Order/Order Response Time for IMA PO-1B Pre-Order/Order Response Time for EDI</p> <p>Results are reported separately for each of the following transaction types: ^{NOTE 1}</p> <ol style="list-style-type: none"> 1. Appointment Scheduling (Due Date Reservation, where appointment is required) 2. Service Availability Information 3. Facility Availability 4. Street Address Validation 5. Customer Service Records 6. Telephone Number 7. ADSL Loop Qualification 8. Resale of Qwest DSL Qualification 9. Connecting Facility Assignment ^{NOTE 7} 10. Meet Point Inquiry ^{NOTE 8} <p>For PO-1A (transactions via IMA), in addition to reporting total response time, response times for each of the above transactions will be reported in two parts: (a) time to access the request screen, and (b) time to receive the response for the specified transaction.</p> <p>For PO-1B (transactions via EDI), request/response will be reported as a combined number.</p> <p>For PO-1A 6. Telephone Number, a third part (c) accept screen, will be reported. ^{NOTE 6}</p> <p>PO-1C Results for PO-1C will be reported according to the gateway interface used:</p> <ol style="list-style-type: none"> 1. Percent of Preorder Transactions that Timeout IMA 2. Percent of Preorder Transactions that Timeout EDI <p>PO-1D Results for PO-1D will be reported according to the gateway interface used:</p> <ol style="list-style-type: none"> 1. Rejected Response Times for IMA 2. Rejected Response Times for EDI
<p>Formula:</p>	<p>PO-1A & PO-1B: $\Sigma [(Query\ Response\ Date\ \&\ Time) - (Query\ Submission\ Date\ \&\ Time)] / (Number\ of\ Queries\ Submitted\ in\ Reporting\ Period)$</p> <p>PO-1C: $(Number\ of\ IRTM\ Queries\ measured\ by\ PO-1A\ \&\ B\ that\ Timeout\ before\ receiving\ response / Number\ of\ IRTM\ Queries\ Transmitted\ in\ Reporting\ Period) * 100$</p> <p>PO-1D: $\Sigma [(Rejected\ Query\ Response\ Date\ \&\ Time) - (Query\ Submission\ Date\ \&\ Time)] / (Number\ of\ Rejected\ Query\ Transactions\ Simulated\ by\ IRTM)$</p>
<p>Exclusions:</p>	<p>PO-1A & PO-1B: Rejected requests, errors, and timed out transactions</p> <p>PO-1C: Rejected requests, errors</p> <p>PO-1D: Timed out transactions</p>

PO-1 – Pre-Order/Order Response Times (continued)

Product Reporting: None	Standard: Total Response Time: 1. Appointment Scheduling 2. Service Availability Information 3. Facility Availability 4. Street Address Validation 5. Customer Service Records 6. Telephone Number 7. ADSL Loop Qualification 8. Resale of Qwest DSL Qualification 9. Connecting Facility Assignment 10. Meet Point Inquiry	IMA	EDI
		<10 seconds < 25 seconds ² <25 seconds ³ <10 seconds <12.5 seconds ³ <10 seconds ≤ 20 seconds ⁴ ≤ 20 seconds ⁴ TBD TBD	<10 seconds < 25 seconds ² <25 seconds ³ <10 seconds <12.5 seconds ³ <10 seconds ≤ 20 seconds ≤ 20 seconds TBD TBD
	PO-1C-1		0.5%
	PO-1C-2		0.5%
	PO-1D-1 & 2		Diagnostic
Availability: Available: PO-1A & PO-1B Under Development: <ul style="list-style-type: none"> PO-1A-9&10 & PO-1B-9&10 – beginning with Nov 01 data on the Dec 01 report 	Notes: 1. As additional transactions, currently done manually, are mechanized, they will be measured and added to or included in the above list of transactions, as applicable. 2. Effective 9/1/00 Qwest reduced the Service Availability Benchmark from 30 seconds to 25 seconds. 3. Times reflect non-complex services, including residential, simple business, or POTS account. Does not include ADSL or accounts >25 lines. 4. Benchmark applies to response time only. Request time and Total time will also be reported. 5. As agreed to in the January 25 & 26 PID workshop, rejected query types used in PO-1D will be those developed for internal Qwest diagnostic purposes. 6. With IMA 7.0, effective April 23, 2001, Appointment Scheduling for GUI and EDI and Telephone Number for EDI no longer include an accept screen. Therefore, beginning with April 2001 results, the "accept screen" results will no longer be reported. 7. Results based on Connecting Facility Assignment by Unit Query. 8. Results based on Meet Point Query, POTS Splitter option for Shared loops.		

PO-2 – Electronic Flow-through

Purpose: Monitors the extent Qwest's processing of CLEC Local Service Requests (LSRs) is completely electronic, focusing on the degree that electronically-transmitted LSRs flow directly to the service order processor without human intervention or without manual retyping.	
Description: PO-2A - Measures the percentage of all electronic LSRs that flow from the specified electronic gateway interface to the Service Order Processor (SOP) without any human intervention. <ul style="list-style-type: none"> Includes all LSRs that are submitted electronically through the specified interface during the reporting period, subject to exclusions specified below. PO-2B – Measures the percentage of all flow-through-eligible LSRs that flow from the specified electronic gateway interface to the SOP without any human intervention. <ul style="list-style-type: none"> Includes all flow-through-eligible LSRs that are submitted electronically through the specified interface during the reporting period, subject to exclusions specified below. 	
Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC aggregate, individual CLEC and Qwest Retail results	Disaggregation Reporting: Statewide level (per multi-state system serving the state). Results for PO-2A and PO-2B will be reported according to the gateway interface used to submit the LSR: <ol style="list-style-type: none"> LSRs received via IMA LSRs received via EDI
Formula: PO-2A = [(Number of Electronic LSRs that pass from the Gateway Interface to the SOP without human intervention) / (Total Number of Electronic LSRs that pass through the Gateway Interface)] x 100 PO-2B = [(Number of flow-through-eligible Electronic LSRs that actually pass from the Gateway Interface to the SOP without human intervention) / (Number of flow-through-eligible Electronic LSRs received through the Gateway Interface)] x 100	
Exclusions: <ul style="list-style-type: none"> Rejected LSRs, non-electronic LSRs (e.g., via fax or courier). Records with invalid product codes. Records missing data essential to the calculation of the measurement per the PID. Duplicate LSR numbers. (Exclusion to be eliminated upon implementation of IMA capability to disallow duplicate LSR #'s.) Invalid start/stop dates/times. 	
Product Reporting: <ul style="list-style-type: none"> Resale Unbundled Loops (with or without Local Number Portability) Local Number Portability UNE-P (POTS) 	Standard: PO-2A: Diagnostic PO-2B: Resale: TBD (Parity expectation) Unbundled Loops: TBD LNP: TBD UNE-P (POTS): TBD
Availability: <p style="text-align: center;">Available</p>	Notes: 1. The list of LSR types classified as eligible for flow through is contained in the "LSRs Eligible for Flow Through" matrix. This matrix also includes availability for enhancements to flow through capability. The matrix will be distributed through the CICMP process.

PO-3 – LSR Rejection Notice Interval

Purpose: Monitors the timeliness with which Qwest notifies CLECs that electronic and manual LSRs were rejected.	
Description: Measures the interval between the receipt of a Local Service Request (LSR) and the rejection of the LSR for standard categories of errors/reasons. <ul style="list-style-type: none"> Includes all LSRs submitted through the specified interface that are rejected during the reporting period. Standard reasons for rejections are: missing/incomplete/mismatching/unintelligible information, duplicate request or LSR/PON (purchase order number), no separate LSR for each account telephone number affected, no valid contract, no valid end user verification, account not working in Qwest territory, service-affecting order pending, request is outside established parameters for service, and lack of CLEC response to Qwest question for clarification about the LSR. Included in the interval is time required for efforts by Qwest to work with the CLEC to avoid the necessity of rejecting the LSR. With hours:minutes reporting, hours counted are (1) business hours for manual rejects (involving human intervention) and (2) published Gateway Availability hours for auto-rejects (involving no human intervention). Business hours are defined as time during normal business hours of the Wholesale Service Delivery Centers, except for PO-3C in which hours counted are work week clock hours. Gateway Availability hours are based on the currently published hours of availability found on the following website: http://www.qwest.com/wholesale/cmp/ossHours.html. 	
Reporting Period: One month	Unit of Measure: PO-3A-1, PO-3B-1 & PO-3C - Hrs: Mins. PO-3A-2 & PO-3B-2 – Mins: Secs.
Reporting Comparisons: CLEC aggregate and individual CLEC results	Disaggregation Reporting: Results for this indicator are reported according to the gateway interface used to submit the LSR: <ul style="list-style-type: none"> PO-3A -1 LSRs received via IMA and rejected manually – state wide level PO-3A -2 LSRs received via IMA and auto-rejected – region wide level PO-3B -1 LSRs received via EDI and rejected manually – state wide level PO-3B -2 LSRs received via EDI and auto-rejected – region wide level PO-3C LSRs received via facsimile - Statewide level
Formula: $\Sigma [(Date \text{ and time of Rejection Notice transmittal}) - (Date \text{ and time of LSR receipt})] / (Total \text{ number of LSR Rejection Notifications})$	
Exclusions: <ul style="list-style-type: none"> Records with invalid product codes. Records missing data essential to the calculation of the measurement per the PID. Duplicate LSR numbers. (Exclusion to be eliminated upon implementation of IMA capability to disallow duplicate LSR #'s.) Invalid start/stop dates/times. 	
Product Reporting: Not applicable (reported by ordering interface).	Standard: <ul style="list-style-type: none"> PO-3A -1 and -3B -1: ≤ 12 business hours PO-3A -2 and -3B -2: ≤ 18 seconds PO-3C: ≤ 24 work week clock

	hours
Availability: <div>Available</div>	Notes:

PO-4 – LSRs Rejected

Purpose: Monitors the extent LSRs are rejected as a percentage of all LSRs to provide information to help address potential issues that might be raised by the indicator of LSR rejection notice intervals.	
Description: Measures the percentage of LSRs rejected (returned to the CLEC) for standard categories of errors/reasons. <ul style="list-style-type: none"> Includes all LSRs submitted through the specified interface that are rejected or FOC'd during the reporting period. Standard reasons for rejections are: missing/incomplete/mismatching/unintelligible information; duplicate request or LSR/PON (purchase order number); no separate LSR for each account telephone number affected; no valid contract; no valid end user verification; account not working in Qwest territory; service-affecting order pending; request is outside established parameters for service; and lack of CLEC response to Qwest question for clarification about the LSR. 	
Reporting Period: One month	Unit of Measure: Percent of LSRs
Reporting Comparisons: CLEC aggregate and individual CLEC results	Disaggregation Reporting: Results for this indicator are reported according to the gateway interface used to submit the LSR: <ul style="list-style-type: none"> PO-4A - 1LSRs received via IMA and rejected manually – region wide level PO-4A -2 LSRs received via IMA and auto-rejected – region wide level PO-4B - 1 LSRs received via EDI and rejected manually – region wide level PO-4B -2 LSRs received via EDI and auto-rejected – region wide level PO-4C LSRs received via facsimile – Statewide level.
Formula: $\left[\frac{\text{Total number of LSRs rejected via the specified method in the reporting period}}{\text{Total of all LSRs that are received via the specified interface that were rejected or FOC'd in the reporting period}} \right] \times 100$	
Exclusions: <ul style="list-style-type: none"> Records with invalid product codes. Records missing data essential to the calculation of the measurement per the PID . Duplicate LSR numbers. (Exclusion to be eliminated upon implementation of IMA capability to disallow duplicate LSR #'s.) Invalid start/stop dates/times. 	
Product Reporting: Not applicable (reported by ordering interface).	Standard: No benchmark – diagnostic
Availability: Available	Notes:

PO-5 – Firm Order Confirmations (FOCs) On Time

Purpose:

Monitors the timeliness with which Qwest returns Firm Order Confirmations (FOCs) to CLECs in response to LSRs/ASRs received from CLECs, focusing on the degree to which FOCs are provided within specified intervals.

Description:

Measures the timeliness of Firm Order Confirmations (FOCs) that are provided to CLECs. PO-5A, -5B, -5C, and -5D focus on the percentage of FOCs that are provided within the intervals specified under "Standards" below for FOC notifications. PO-5E focuses on the average interval of FOC notifications for LSRs that are classified as eligible for flow-through but failed to flow-through.

- Includes all LSRs/ASRs that are submitted through the specified interface or in the specified manner (i.e., facsimile) that receive an FOC during the reporting period, subject to exclusions specified below. (Acknowledgments sent separately from an FOC (e.g., EDI 997 transactions are not included.)
- For PO-5A, the interval measured is the period between the LSR received date/time (based on scheduled up time) and Qwest's response with a FOC notification (notification date and time).
- For PO-5B, 5C, 5D and 5E, the interval measured is the period between the application date and time, as defined herein, and Qwest's response with a FOC notification (notification date and time).
- "Fully electronic" LSRs are those (1) that are received via IMA or EDI, (2) that involve no manual intervention, and (3) for which FOCs are provided mechanically to the CLEC. ^{NOTE 3}
- "Electronic/manual" LSRs are received electronically via IMA or EDI and involve manual processing.
- "Manual" LSRs are received manually (via facsimile) and processed manually.
- ASRs are measured only in business days.
- For PO-5A, -5B, and -5C, LSRs will be evaluated according to the FOC interval categories shown in the "Standards" section below, based on the number of lines/services requested on the LSR or, where multiple LSRs from the same CLEC are related, based on the combined number of lines/services requested on the related LSRs.

Reporting Period: One month

Unit of Measure:

PO-5A, -5B, -5C, & -5D: Percent

PO-5E: Business Hours:Minutes

PO-5 – Firm Order Confirmations (FOCs) On Time (continued)

<p>Reporting Comparisons: CLEC aggregate and individual CLEC results</p>	<p>Disaggregation Reporting: Statewide level (per multi-state system serving the state). Results for this indicator are reported as follows:</p> <ul style="list-style-type: none"> • PO-5A:* FOCs provided for <u>fully electronic</u> LSRs received via: <ul style="list-style-type: none"> – PO-5A-1 IMA – PO-5A-2 EDI • PO-5B:* FOCs provided for <u>electronic/manual</u> LSRs that are NOT classified as flow-through-eligible** for LSRs received via: <ul style="list-style-type: none"> – PO-5B-1 IMA – PO-5B-2 EDI • PO-5C:* FOCs provided for <u>manual</u> LSRs received via Facsimile. • PO-5D: FOCs provided for ASRs requesting LIS Trunks. • PO-5E: FOCs provided for LSRs that are classified as flow-through-eligible,** but failed to flow through, for LSRs received via: ^{NOTE 2} <ul style="list-style-type: none"> – PO-5E-1 IMA – PO-5E-2 EDI <p>* Each of the PO-5A, PO-5B, PO-5C and PO-5E measurements listed above will be further disaggregated as follows:</p> <ul style="list-style-type: none"> – (a) FOCs provided for Resale services and UNE-P – (b) FOCs provided for Unbundled Loops and specified Unbundled Network Elements – (c) FOCs provided for LNP <p>** The list of LSR types classified as eligible for flow through is contained in the "LSRs Eligible for Flow Through" matrix. This matrix also includes availability for enhancements to flow through capability. The matrix will be distributed through the CICMP process.</p>
<p>Formula:</p>	<p>PO-5A - [Count of LSRs for which the original FOCs "(FOC Notification Date & Time) - (LSR received date/time (based on scheduled up time))" is within 20 minutes] / (Total Number of original FOC Notifications transmitted for the service category in the reporting period).</p> <p>PO-5B, -5C, & -5D = [Count of LSRs/ASRs for which the original FOCs "(FOC Notification Date & Time) - (Application Date & Time)" is within the intervals specified for the service category involved] / (Total Number of original FOC Notifications transmitted for the service category in the reporting period).</p> <p>PO-5E = $\Sigma[(\text{FOC Notification Date \& Time}) - (\text{Application Date \& Time}) \text{ for flow-through-eligible LSRs that did NOT flow through}] / (\text{Total Number of FOC Notifications transmitted for flow-through-eligible LSRs that did NOT flow through})$</p>
<p>Exclusions:</p>	<ul style="list-style-type: none"> • LSRs/ASRs involving individual case basis (ICB) handling based on quantities of lines, as specified in the "Standards" section below, or service/request types, deemed to be projects. • Hours on Weekends and holidays. • LSRs with CLEC-requested FOC arrangements different from standard FOC arrangements. • For flow-through eligible LSRs, the exceptions noted in the "LSRs Eligible for Flow Through" matrix distributed through the CICMP process. • Records with invalid product codes. • Records missing data essential to the calculation of the measurement per the PID. • Duplicate LSR numbers. (Exclusion to be eliminated upon implementation of IMA capability to disallow duplicate LSR #'s.) • Invalid start/stop dates/times. <p>Additional PO-5D exclusion:</p> <ul style="list-style-type: none"> • Records with invalid application or confirmation dates.

PO-5 – Firm Order Confirmations (FOCs) On Time (continued)

Product Reporting:	Standards:	
<ul style="list-style-type: none">For PO-5A, -5B, -5C and -5E:<ul style="list-style-type: none">(a) Resale services and UNE-P (POTS)(b) Unbundled Loops and specified Unbundled Network Elements.(c) LNPFor PO-5D: LIS Trunks.	<ul style="list-style-type: none">For PO-5A (all): 95% within 20 minutes ^{NOTE 3}For PO-5B (all): 90% within standard FOC intervals (specified below)For PO-5C (manual): 90% within standard FOC intervals specified below PLUS 24 hours ^{NOTE 4}For PO-5D (LIS Trunks): 85% within eight business daysFor PO-5E (failed flow-through) 6 business hours or less	
	Standard FOC Intervals for PO-5B and PO-5C	
	Product Group ^{NOTE 1}	FOC Interval
	Resale	
	Residence and Business POTS 1-39 lines	24 hours
	ISDN-Basic 1-10 lines	
	Conversion As Is	
	Adding/Changing features	
	Add primary directory listing to established loop	
Add call appearance		
Centrex Non-Design 1-19 lines		
with no Common Block Configuration		
Centrex line feature changes/adds/removals (all)		
LNP 1-24 lines		
Unbundled Loops 1-24 loops		
2/4 Wire analog		
DS3 Capable		
Unbundled –Sub-loop 1-24 sub-loops		
[included in product reporting group (b)]		
Unbundled Shared-loop/Line-sharing 1-24 shared		
[included in product reporting group (b)] loops		
Unbundled Network Element–Platform (UNE-P) (POTS)		
UNE-P to UNE-P conversion and Resale to UNE-P conversion 1-39 lines		
Resale		
ISDN-Basic 1-10 lines	48 hours	
Conversion As Specified		
New Installs		
Address Changes		
Change to add Loop		
ISDN-PRI (Facility) 1-3		
PBX 1-24 trunks		
DS0 or Voice Grade Equivalent 1-24		
DS1 Facility 1-24		
DS3 Facility 1-3		
LNP 25-49 lines		

November 16, 2001

Page 16

PO-5 – Firm Order Confirmations (FOCs) On Time (continued)

	Resale Centrex (including Centrex 21, Non-design, Centrex 21 Basic ISDN, Centrex-Plus, Centron, Centrex Primes) 1-10 lines – With Common Block Configuration required – Initial establishment of Centrex CMS services – Tie lines or NARs activity – Subsequent to initial Common Block Station lines Automatic Route Selection Uniform Call Distribution Additional numbers	72 hours
	Unbundled Loops with Facility Check 1 – 24 loops (NOTE 3, 4) – 2/4 wire Non-loaded – ADSL compatible – ISDN capable – XDSL-I capable – DS1 capable	
	Resale ISDN-PRI (Trunks) 1-12 trunks	96 hours
	For PO-5D: LIS Trunks 1-240 trunk circuits	8 business days
Availability • Available		
Notes: 1. LSRs with quantities above the highest number specified for each product type are considered ICB. 2. With reference to PO-5E, beginning in Dec 00, as a result of the auto-push status enhancement, Qwest will also provide a near-immediate, electronic notification to CLECs when an LSR fails to flow-through. 3. Unbundled Loop with Facility Check can be processed electronically; however, because this category always carries a 72-hour FOC interval the FOC results for this product will appear in PO-5B if received electronically or PO-5C if received manually. 4. Unbundled Loop with Facility Check will not add an additional 24 hours to the 72-hour interval if the LSR is submitted manually.		

PO-6 – Work Completion Notification Timeliness

Purpose: To evaluate the timeliness of Qwest issuing electronic notification at an LSR level to CLECs that provisioning work on all service orders that comprise the CLEC LSR have been completed in the Service Order Processor and the service is available to the customer.	
Description: PO-6A & 6B: <ul style="list-style-type: none"> Includes all orders completed in the Qwest Service Order Processor that generate completion notifications in the reporting period, subject to exclusions shown below. The start time is the date/time when the last of the service orders that comprise the CLEC LSR is posted as completed in the Service Order Processor. The end time is when the electronic order completion notice is made available (IMA) ^{NOTE 1} or transmitted ^{NOTE 2} (EDI) to the CLEC via the ordering interface used to place the local service request. The notification is transmitted at an LSR level when all service orders that comprise the CLEC LSR are complete. With hours: minutes reporting, hours counted are during the published Gateway Availability hours. Gateway Availability hours are based on the currently published hours of availability found on the following website: http://www.qwest.com/wholesale/cmp/ossHours.html. 	
Reporting Period: One month	Unit of Measure: PO-6A - 6B: Hrs: Min.
Reporting Comparisons: CLEC aggregate and individual CLEC results.	Disaggregation Reporting: Statewide level. <ul style="list-style-type: none"> PO-6A Notices transmitted via IMA PO-6B Notices transmitted via EDI
Formula: For completion notifications generated from LSRs received via IMA-GUI: $PO-6A = \frac{\Sigma((\text{Date and Time Completion Notification made available to CLEC}) - (\text{Date and Time the last of the service orders that comprise the CLEC LSR is completed in the Service Order Processor}))}{(\text{Number of completion notifications made available in reporting period})}$ For completion notifications generated from LSRs received via IMA-EDI: $PO-6B = \frac{\Sigma((\text{Date and Time Completion Notification transmitted to CLEC}) - (\text{Date and Time the last of the service orders that comprise the CLEC LSR is completed in the Service Order Processor.}))}{(\text{Number of completion notifications transmitted in reporting period})}$	
Exclusions: PO – 6A & 6B: <ul style="list-style-type: none"> Records with invalid completion dates. LSRs submitted manually (e.g., via facsimile). ASRs submitted via EXACT. 	
Product Reporting: PO – 6A & 6B Aggregate reporting for all products ordered through IMA-GUI and, separately, IMA-EDI (see disaggregation reporting).	Standard: TBD

PO-6 – Work Completion Notification Timeliness (continued)

<p>Availability: Available (except as noted below)</p> <p>Under Development:</p> <ul style="list-style-type: none">• PO-6B – Calculated based on EDI transmission date and time - TBD	<p>Notes:</p> <ol style="list-style-type: none">1. The time a notice is “made available” via the IMA-GUI is the time Qwest stores a status update related to the completion notice in the IMA Status Updates database. When this occurs, the notice can be immediately viewed by the CLEC using the Status Updates window or by using the LSR Notice Inquiry function.2. Initially the end time for PO-6B will be the time a notice is “made available” via IMA-EDI. This is the time Qwest completes processing for the completion notice in IMA immediately prior to transmission. As Qwest develops the ability to capture the transmission date and time from EDI, the end time will be based on the EDI transmit date and time.
---	--

PO-7 – Billing Completion Notification Timeliness

Purpose:

To evaluate the timeliness with which electronic billing completion notifications are made available to CLECs, focusing on the percentage of orders for which notifications that are made available (for CLECs) or posted in the billing system (for Qwest retail) within five business days.

Description:

PO-7A & 7B

- This measurement includes all service orders completed in the CRIS billing system for which billing completion notices are made available in the reporting period, subject to exclusions shown below.
- Intervals used in this measurement are from the time a service order is completed in the SOP to the time billing completion for the order is made available to the CLEC.
 - The time a notice is “made available” via the IMA-GUI consists of the time Qwest stores the completion notice in the IMA Status Updates database. When this occurs, the notice can be immediately viewed by the CLEC using the Status Updates window.
 - The time a notice is “made available” via IMA-EDI consists of the time Qwest completes processing for the completion notice in IMA immediately prior to transmission of the EDI notification. If a CLEC is certified and setup to receive the notices, the notice is immediately transmitted to the CLEC via EDI. ^{NOTE 1}
- The start time is when the completion of the service order is posted in the Qwest SOP. The end time is when, confirming that the order has been posted in the CRIS billing system, the electronic billing completion notice is made available to the CLEC via the same ordering interface (IMA-GUI or IMA-EDI) as used to submit the LSR.
- Intervals counted in the numerator of these measurements are those that are five business days or less.

PO-7C

- This measurement includes all retail orders posted in the CRIS Billing system in the reporting period, subject to exclusions shown below.
- Intervals used in this measurement are from the time an order is completed in the SOP to the time it is posted in the CRIS billing system.
- The start time is when the completion of the order is posted in the SOP. The end time is when the order is posted in the CRIS billing system.
- Intervals counted in the numerator of this measurement are those that are five business days or less

Reporting Period: One month

Unit of Measure: Percent

Reporting

Comparisons:

PO-7A and -7B: CLEC aggregate and individual CLEC results.
PO-7C: Qwest retail results.

Disaggregation Reporting: Statewide level.

- PO-7A Notices made available via IMA-GUI
- PO-7B Notices made available via IMA-EDI
- PO-7C Billing system posting completions for Qwest Retail

Formula:

For wholesale service orders Qwest generates for LSRs received via IMA:

PO-7A & 7B - (Number of electronic billing completion notices in the reporting period made available within five business days of posting complete in the SOP) / (Total Number electronic billing completion notices made available during the reporting period)

For service orders Qwest generates for retail customers (i.e., the retail analogue for PO-7A & -7B):

PO-7C – (Total number of retail service orders posted in the CRIS billing system in the reporting period that were posted within 5 business days)/(Total number of retail service orders posted in the CRIS billing system in the reporting period)

Exclusions: PO-7A, 7B & 7C <ul style="list-style-type: none"> • Services that are not billed through CRIS, e.g. Resale Frame Relay. • Records with invalid completion dates. PO-7A & 7B <ul style="list-style-type: none"> • LSRs submitted manually. • ASRs submitted via EXACT. 	
Product Reporting: Aggregate reporting for all products ordered through IMA-GUI and, separately, IMA-EDI (see disaggregation reporting).	Standard: PO-7A and -7B: Parity with PO-7C
Availability: Available (except as noted below) Under Development <ul style="list-style-type: none"> • PO-7B – Calculated based on EDI transmission date and time - TBD 	Notes: 1. As Qwest develops the ability to capture the transmission date and time from EDI, the end time will be based on the EDI transmit date and time.

PO-8 – Jeopardy Notice Interval

Purpose: Evaluates the timeliness of jeopardy notifications, focusing on how far in advance of original due dates jeopardy notifications are provided to CLECs (regardless of whether the due date was actually missed).	
Description: Measures the average time lapsed between the date the customer is first notified of an order jeopardy event and the original due date of the order. <ul style="list-style-type: none"> Includes all orders completed in the reporting period that received jeopardy notifications. 	
Reporting Period: One month	Unit of Measure: Average Business days
Reporting Comparisons: CLEC aggregate, individual CLEC and Qwest Retail results	Disaggregation Reporting: Statewide level. (This measure is reported by jeopardy notification process as used for the categories shown under Product Reporting.)
Formula: $[\Sigma(\text{Date of the original due date of orders completed in the reporting period that received jeopardy notification} - \text{Date of the first jeopardy notification}) / \text{Total orders completed in the reporting period that received jeopardy notification}]$	
Exclusions: <ul style="list-style-type: none"> Jeopardies done after the original due date is past. Records involving official company services. Records with invalid due dates or application dates. Records with invalid completion dates. Records with invalid product codes. Records missing data essential to the calculation of the measurement per the PID. 	
Product Reporting: <ul style="list-style-type: none"> A Non-Designed Services B Unbundled Loops (with or without Local Number Portability) C LIS Trunks D UNE-P (POTS) 	Standard: <ul style="list-style-type: none"> A Parity with Retail POTS B Parity with Retail POTS C Parity with Feature Group D (FGD) services D Parity with Retail POTS
Availability: Available	Notes:

PO-9 – Timely Jeopardy Notices

Purpose: When original due dates are missed, measures the extent to which Qwest notifies customers in advance of jeopardized due dates.	
Description: Measures the percentage of late orders for which advance jeopardy notification is provided. <ul style="list-style-type: none"> Includes all orders completed in the reporting period that missed original due date. Missed date orders with jeopardy notifications provided on or after the original due date is past will be counted in the denominator of the formula but will not be counted in the numerator. 	
Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC aggregate, individual CLEC and Qwest Retail results	Disaggregation Reporting: Statewide level. (This measure is reported by jeopardy notification process as used for the categories shown under Product Reporting.)
Formula: (Total missed due date orders completed in the reporting period that received jeopardy notification in advance of original due date) / (Total number of missed due date orders completed in the reporting period) x 100	
Exclusions: <ul style="list-style-type: none"> Orders missed for customer reasons. Records with invalid product codes. Records involving official company services. Records with invalid due dates or application dates. Records with invalid completion dates. Records with invalid product codes. Records missing data essential to the calculation of the measurement per the PID. 	
Product Reporting: <ul style="list-style-type: none"> A Non-Designed Services B Unbundled Loops (with or without Local Number Portability) C LIS Trunks (available) D UNE-P (POTS) 	Standard: <ul style="list-style-type: none"> A Parity with Retail POTS B Parity with Retail POTS C Parity with Feature Group D (FGD) Services D Parity with Retail POTS
Availability: Available	Notes:

PO-10 – LSR Accountability

Purpose: Evaluates the degree to which Qwest can account for all LSRs received electronically.	
Description: Measures the number of LSRs received via IMA-GUI and IMA-EDI interfaces that Qwest has issued (confirmed) or accounted for in specific status categories, as a percentage of all LSRs received in the reporting period. <ul style="list-style-type: none"> Includes all LSRs that are received via the IMA-GUI and IMA-EDI interfaces, subject to exclusions specified below. Status categories accounted for include: <ul style="list-style-type: none"> Pending (i.e., assigned to a center representative for handling); Supplemented (i.e., subsequent version of request that has not been confirmed or rejected at time of reporting); Cancelled (by the CLEC prior to Qwest returning confirmation to the CLEC); Rejected (i.e., rejection notice has been sent to the CLEC); Issued (i.e., the order has been processed and confirmation has been returned to the CLEC); Error (i.e., auto-logging error indicating a field value mismatch between the electronic interface and the Customer Request Management (CRM) system, at time of reporting, in parallel with the ordering processing in a manner that does not impede timeliness); Project (i.e., routed to project management for handling); 	
Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC aggregate results	Disaggregation Reporting: Region-wide level.
Formula: (Count of all LSRs issued or in status categories specified above) / (Total number of LSRs received in reporting period) x 100 ^{NOTE 1}	
Exclusions: <ul style="list-style-type: none"> Front-end rejects (e.g., 997notifications) that would not be eligible for confirmation or rejection 	
Product Reporting: None	Standard: Diagnostic ^{NOTE 2}
Availability: <p style="text-align: center;">Available</p>	Notes: <ol style="list-style-type: none"> Results that nominally exceed 100 percent may be due to timing differences in obtaining the quantities for the status categories (numerator) and for the total LSRs received (denominator). It is also possible for results to nominally fall short of 100 percent for the same reason. Because Qwest has a mechanized auto-logging process for tracking LSRs, Qwest believes the AZ TAG will determine this measurement to be unnecessary after being audited in the AZ Test. Accordingly, Qwest may approach the TAG to withdraw this measurement after the Test, after reporting multiple consecutive months demonstrating that Qwest adequately tracks and accounts for LSRs.

PO-16 Timely Release Notifications

Purpose: Measures the percent of release notifications for changes to specified OSS interfaces sent by Qwest to CLECs within the intervals specified within the change management plan found on Qwest's Change Management Process, (CMP) website.	
Description: <ul style="list-style-type: none"> Measures the percent of timely release notices: Draft Developer Worksheets (Initial Requirements), Disclosure Documents (Final Requirements) and/or Release Notes, (collectively "release notifications") sent by Qwest within the intervals/timeframes prescribed by the release notification procedure on Qwest's CMP website ^{NOTE 1} for the following OSS interfaces: IMA-GUI, IMA-EDI, and CEMR, ^{NOTE 2} Exchange Access, Control, & Tracking (EXACT), ^{NOTE 3} Electronic Bonding - Trouble Administration (EB -TA), ^{NOTE 4} and IABS and CRIS Summary Bill Outputs, Retail Product Database , Loss and Completion Records. <ul style="list-style-type: none"> Includes OSS interface release notifications by Qwest relating to the following products and service categories: LIS/Interconnection, Collocation, Unbundled Network Elements (UNE), Ancillary, and Resale Products and Services. Includes OSS interface release notifications by Qwest to CLECs for the following OSS functions: Pre-Ordering, Ordering, Provisioning, Repair and Maintenance, and Billing. Includes OSS interface release notifications by Qwest to CLECs, specified in Qwest's Change Management Process. ^{NOTE 5} Includes all OSS interface release notifications pertaining to the above OSS systems, subject to the exclusions specified below. Release Notifications sent on or before the date required by the CMP are considered timely. A release notification "sent date" is determined by the date of the e-mail sent by Qwest that provides the Release Notification. Release Notifications sent after the date required by the (CMP) are considered untimely. Release Notifications required but not sent are considered untimely. 	
Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC Aggregate	Disaggregation Reporting: Region-wide level.
Formula: (Number of required release notifications for specified OSS interface changes made within the reporting period that are sent on or before the date required by the change management plan (CMP)/Total number of required release notifications for specified OSS interface changes within reporting period) * 100	
Exclusions: <ul style="list-style-type: none"> Changes to be implemented on an expedited basis (exception to OSS notification intervals) as mutually agreed upon by CLECs and Qwest through the CMP. Changes where Qwest and CLECs agree, through the CMP, that notification is unnecessary. 	
Product Reporting: None	Standard: Vol. 1-10: 1 miss Vol. >10: 92.5%
Availability: <div style="text-align: center;">Available</div>	Notes: <ol style="list-style-type: none"> The Change Management Process (CMP) specifies the intervals for release notifications by type of notification. These intervals are documented in the change management plan. CEMR replaced CTAS in April 01. CTAS will not be included in this measure because it is scheduled for retirement at the end of May 01. EXACT is a Telecordia system. Only release notifications for changes initiated by Qwest for

	<p>hardware or connectivity will be included in this measurement.</p> <ol style="list-style-type: none">4. EB-TA is the same system as MEDIACC.5. Qwest is collaborating with CLECs in CMP on updates to the change management plan that will specify the types of OSS interface release notifications. The current proposal includes: Type 1: Production Support Change Type 2: Regulatory Change Type 3: Industry Guideline Change Type 4: Qwest Originated Change Type 5: CLEC Originated Change <p>The intent is for this measure to include the notifications specified in the CMP.</p>
--	---

PO-19 – Stand-Alone Test Environment (SATE) Accuracy

Purpose:

Evaluates Qwest's ability to provide accurate production-like tests to CLECs for testing both new releases and between releases in the SATE environment.

Description:

- Measures the percentage of test transactions published in the *IMA EDI Data Document – for the Stand Alone Test Environment (SATE)* that are successfully executed in SATE at the time a new IMA Release is deployed to SATE. In months where no release activity occurs, measures the percentage of test transactions published in the current IMA EDI Data Document-for the Stand Alone Test Environment (SATE) that are successfully executed in SATE during the mid-release monthly performance test.
- Includes one test transaction for each scenario published in the *IMA EDI Data Document – for the Stand Alone Test Environment (SATE)*.
- Test transactions will be executed for each of the IMA releases supported in SATE utilizing all current versions of the *IMA EDI Data Document – for the Stand Alone Test Environment (SATE)*.
- The successful execution of a transaction is determined by the Qwest Test Engineer according to:
 - The expected results of the test scenario as described in the *IMA EDI Data Document – for the Stand Alone Test Environment (SATE)* and the EDI disclosure document. The transactions strict adherence to business rules published in Qwest's IMA EDI Disclosure Documentation.
- For this measurement, Qwest will execute the test transactions in the Stand-Alone Test Environment.
 - Release related test transactions will be executed when a full or point release of IMA is installed in SATE. These transactions will be executed within five business days of the numbered release being originally installed in SATE. This five-business day period will be referred to as the "Testing Window."
 - Mid-release monthly performance test transactions will be executed in the months when no Testing Window for a release is completed. These transactions will be executed on the 15th, or the nearest working day to the 15th of the month, in the months when no release related test transactions are executed.
- Test transaction results will be included in the Reporting Period during which the release transactions or mid-release test transactions are completed.

Reporting Period: One month

Unit of Measure: Percent

Reporting Comparisons: None

Disaggregation Reporting: None

Formula:

$$\left[\frac{\text{Total number of successfully completed SATE test transactions executed for a Software Release or Mid-release performance test completed in the Reporting Period}}{\text{Total number of SATE test transactions executed for a Software Release or Mid-release performance test completed in the Reporting Period}} \right] \times 100$$

Exclusions:

None

Product Reporting: None

Standard:
TBD – Effective Mar 02

Availability:

- Under Development:**
 - Beginning with Nov 01 data on the Dec 01 report

Notes: